

# FINN<sup>®</sup>

SMARTER WAYS TO WORK<sup>™</sup>

HydroSeeders<sup>®</sup>

Bark & Mulch Blowers

Straw Blowers

## Sales & Service Near You

Our dealer network provides more than 100 North American sales and service outlets, and with additional international representatives, you are assured of customer support after-the-sale.

Parts inventory, service and maintenance support, equipment training, tutorials, warranty coverage, operator and parts manuals, and knowledgeable factory representatives deliver a comprehensive support package unmatched in our industry. FINN is a Smarter Way To Work.

For a dealer near you, see [finncorp.com](http://finncorp.com)

**FINN**<sup>®</sup>  
FINNcorp.com / 800.543.7166 

## Innovative Equipment Solutions for Ground & Soil Management

# FINN<sup>®</sup> Since 1935

For more than 80 years, FINN has been providing quality equipment to the landscape and erosion control industries and is your number one solution for environmental stewardship. Our machines are known for productivity, reliability, and long lasting product performance. Our company is known for innovation, dependability, and industry leading product support.

We pride ourselves on manufacturing products that give you the ability to work more profitably by completing more jobs for less cost than ever before.

*We think that is a smarter way to work.*

[finncorp.com](http://finncorp.com) / 800.543.7166

**SMARTER WAYS TO WORK<sup>™</sup>**



- » HydroSeeders<sup>®</sup>
- » Straw Blowers
- » Bark & Mulch Blowers
- » FINN Landfill Solutions<sup>™</sup>

#### VERSATILE APPLICATIONS

- Erosion Control
- Mine Reclamation
- Dust Control
- Landscapes
- Landfill ADC
- Seeding / Overseeding

Today, **FINN Corporation** has a worldwide presence with more than 100 North American dealer and service locations, plus others in Australia, South America, Africa and Europe. Even as our network continues to expand, we will not forget our humble beginnings and our Midwestern roots.

Based near Cincinnati, Ohio, **FINN Corporation** made a name for itself in the landscape and erosion control marketplaces when Charles Finn invented the **Straw Blower** in 1935. His revolutionary invention of a machine that was designed to chop and apply straw for mulching bare soil paved the way for decades to come of high quality, labor-saving equipment under the FINN name.

Following the **Straw Blower**, Finn invented the first **HydroSeeder<sup>®</sup>** in 1953 to efficiently shoot seed and fertilizers over broad areas. This was more than a product innovation – it was the seed that grew an entirely new industry of turf and erosion control contractors.

The **Bark Blower** became part of the FINN lexicon more than 20 years ago with five small to mid-size models now rounding out the product line. Pneumatically apply materials such as mulches, playground chips, and soil blends to hard-to-reach areas.

**FINN. HydroSeeders. Bark & Mulch Blowers. Straw Blowers.**  
*Innovative Solutions for Ground and Soil Management.*

## SUPERIOR CUSTOMER SERVICE

OVER **100**  
NORTH AMERICAN  
SALES & SUPPORT  
OUTLETS

A vast dealer group works in conjunction with FINN factory authorized sales, service, and parts professionals to maximize machine performance and uptime.

DISTRIBUTION  
TO **50**  
COUNTRIES

We deliver industry leading warranty coverage on new machine purchases.

Dedicated FINN engineering team ensures market leading innovation and high quality equipment.



Dealer Network



Parts



Training



Warranty



Manuals

**SMARTER WAYS TO WORK<sup>™</sup>**

# Why FINN?

You look to FINN for equipment of superior performance and quality. You trust FINN because of our experience, our commitment to being the project solution, and our comprehensive product support. We pride ourselves on manufacturing HydroSeeders, Bark Blowers, and Straw Blowers that give you the ability to work more profitably by completing more jobs at less cost.

For more than 80 years, FINN has been manufacturing and supporting innovative soil management equipment. We will continue to deliver on a commitment to innovative designs, exceptional equipment performance, and outstanding customer service.

## PROFITABLE APPLICATIONS



- Landscaping
- Erosion Control
- Construction
- Landfill Solutions
- Mine Reclamation
- Fire Suppression
- Mud & Dust Control
- Golf Courses
- Equipment Rentals

1935 **80** 2015  
YEARS

**Innovation. Productivity. Efficiency.** These are the design foundations of FINN equipment. From our Straw Blowers which launched a new industry to our market leading HydroSeeders® and Bark & Mulch Blowers, our diverse product lines open up a wide array of possibilities and savings. Increased productivity, greater job opportunities, less labor needed, and material savings are just a few ways FINN machines can help the bottom line.

## History of Excellence

1935	1949	1953	1992	1996	2007	2015
FINN opens for business	FINN Straw Blowers introduced	FINN HydroSeeders® introduced	FINN Bark Blowers introduced	FINN T330 introduced	FINN introduces the Titan 330 & 400	FINN celebrates 80 years in business!

SMARTER WAYS TO WORK™

# FINN HydroSeeder®

With more than 20,000 units sold, we understand HydroSeeders. Only FINN provides the widest variety of model sizes ranging from 300-4,000 gallon capacities, has an exclusive pump designed to handle the thickest slurries, and offers numerous options to provide for a more powerful and operator-friendly HydroSeeder, all while keeping maintenance costs low.

Erosion control is the most prevalent commercial reason for hydroseeding. With many construction sites required to have some form of temporary or permanent erosion control, FINN HydroSeeders become your project solution. Plus, they are ideal for installing new turf, turf restoration, dust suppression, landfill alternative daily cover, remote watering, and fire suppression measures.



## A SUPERIOR WAY TO DO IT ALL.

- Seeding
- Erosion Control
- Landfill Cover
- Mine Reclamation
- Dust Control
- Golf Courses
- Fire Suppression
- Watering
- Fertilizing



### Profitable Erosion Control

Stabilize the steepest slopes in the most difficult environments. No need for expensive erosion control blankets or costly, labor intensive seeding methods.



### The Right Machine for Any Job

With a full range of HydroSeeders from 300-4,000 gallon capacities, FINN has the right size machine for any size job. The largest units spray distances up to 320 feet, as measured in test conditions.



### Versatility

FINN HydroSeeders are used in many different industries from landscaping to erosion control to mine reclamation to landfill cover. The ability to mix and spray the thickest slurries, such as Bonded Fiber Matrix and Flexible Growth Media, makes FINN the standard of versatility in the industry.



### Exclusive Engineering Design

FINN uses independent systems for mechanical variable speed agitation and liquid recirculation. Comparatively, FINN's all-hydraulic design provides more power for mixing and delivering the thickest slurries, while keeping maintenance costs low.



### Reliable Performance

The reliability and serviceability of FINN HydroSeeders sets it apart from the competition. And the extensive FINN dealer network is always close to ensure you are getting the most from your FINN equipment.

## DESIGNED FOR SUCCESS

### » DIRECT PUMP DRIVE "CLUMP"

Historically proven to be the most widely used and requested systems, FINN's patented direct-drive clump configuration utilizes an in-line, single shaft clutch/pump design. The clump provides increased torque utilization which in turn reduces the horsepower needed to spray greater distances. It also saves in maintenance and operating costs.

### » VARIABLE SPEED REVERSIBLE AGITATION

Powerful hydraulically driven mechanical agitation allows for control of both agitator speeds and paddle direction. The power of the FINN agitation system allows whole mulch bales to be loaded into the machine without the need for dangerous grinders or breaking up the bale; thereby speeding up the loading and mixing process.

### » THE FINN PUMP

Unlike many industry competitors, this highly engineered pump is designed to handle the thickest slurries. The FINN centrifugal pump can easily be field adjusted to ensure pump pressure is maintained. This reduces the cost of maintenance while providing more reliable and consistent performance.

### » CONSISTENT ENGINEERING FEATURES

No matter if you order the smallest capacity or largest capacity FINN HydroSeeder, all units are offered with standard, high-value FINN engineered features:


- Steel tank treated with Axalta Imron paint and corrosion resistant coatings. Carbon Steel or Stainless Steel available.
- Mechanical agitation – variable speed, reversible
- FINN designed pump
- Patented clump drive system
- Ergonomically balanced booms
- Seamless welds
- OSHA compliant railings
- Non-skid working surfaces
- The best engines on the market
- CE compliant for units shipped into the European Union
- 2 year warranty

### » OPTIONS

- Stainless steel tank
- Hydraulic or electric hose reels, depending on the size of the unit
- Ground level controls
- High flotation tires
- Air flush
- Dust suppression options: flusher systems and spray bars
- Additional, customized-features available upon request



Contractors choose FINN HydroSeeders over other brands.



SMARTER WAYS TO WORK™



# FINN

## Bark & Mulch Blowers

Your profits depend on getting the most productivity from every dollar you spend. Employing both versatile people and versatile equipment are vital to your bottom line. The FINN Bark & Mulch Blowers are the perfect multi-tasking machines for your business, delivering high quality results for a wide variety of activities. Save labor, time, and materials. Rather than needing a whole crew for mulching by hand, now two people can more quickly complete the same number of jobs. This leaves the remaining crew members available to work on more profitable projects, such as irrigation and landscape construction. Plus, due to the speed and efficiency of the blower application, you will be able to book more mulching jobs!



### MULTIPLE APPLICATIONS FOR GREATER VERSATILITY AND PROFITS

- *Landscaping Mulches*
- *Topdressing with Compost*
- *New Lawn Installation using Soil Blends with Seed*
- *Erosion Control Blankets and Filter Sock*
- *Playground Safety Surface Material Installation*
- *Indoor Atrium or Courtyard Garden Material Installation*

### Improve the Bottom Line.

Deliver high quality results in landscaping, erosion control, and construction related applications with a FINN Bark & Mulch Blower. From mulches to bark to compost to soil blends, our small tow-behind units are perfect for residential landscaping needs while our larger mid-size units are ideal for commercial projects. As the most versatile worker on the job site—delivering needed materials to hillsides, tough terrain, and all hard-to-reach areas—a FINN Bark & Mulch Blower will increase productivity, while reducing labor and material costs.

#### Job Site Flexibility

- Hillsides
- Tough Terrain
- Over and/or Through Fencing
- Behind Retaining Walls
- Around Trees
- Inside Buildings
- In and Around Delicate Planting Areas
- Playgrounds



BARK MULCH



SOIL BLENDS



COMPOST



WOOD CHIPS



SMARTER WAYS TO WORK™

### DESIGNED FOR SUCCESS

» **ROTARY AIRLOCK**  
The exclusive Rotary Airlock conveys a wide variety of bulk materials and particle sizes, including mulches, compost, and processed soils. The airlock also breaks up material clumps and helps produce an even mulch spreading pattern resulting in up to 25% material savings.

» **RADIO REMOTE CONTROL**  
The radio remote controller lets the operator regulate both power and material flow at a distance from the Bark Blower's location.

» **DUST SUPPRESSION**  
When spreading material, control dust with the adjustable rate liquid injection system. This system lowers the amount of airborne dust when working in residential areas during warm, dry weather.

» **AIR PUMP**  
High volume, efficient air pump carries material smoothly through hose lengths of 250 feet or more.

» **ELECTRIC TARP**  
At the flip of a switch, the tarp retracts for loading and extends for covered transport. (Not available on the BB302)

» **OPTIONAL SEED INJECTOR**  
The optional seed injection system allows for easy blending of seed into compost and soil blends. This option adds versatility to your business. Now you can seed a lawn or erosion control blanket or berm in a single step process as the compost or other organic matter is being pneumatically spread.

» **OPTIONAL CHAIN FLOOR**  
The chain floor is a good option for those primarily focused on mulch or bark application as it provides more consistent material flow into the airlock, increasing productivity.

### MATERIAL SAVINGS



# FINN Straw Blowers

The road construction boom following World War II gave Charles Finn an idea that revolutionized how labor and materials are used on the job site. He called his concept the FINN Straw Blower, and with it offered landscape contractors the opportunity for amazing gains in efficiency and profit. FINN Straw Blowers multiply your productivity and profits by doubling straw coverage in a fraction of the time it takes to apply by hand. There is no more efficient way to ensure soil moisture retention and protect against erosion damage to freshly seeded areas.

## Profitable and Efficient Coverage for:

- **Seed Protection**
- **Soil Stabilization**
- **Mud Control**
- **Pipelines**
- **Agriculture**
- **Erosion Control**
- **Underground Utility Construction**

Ensure soil moisture retention and protect against erosion damage with FINN Straw Blowers.

## SPREADING PRODUCTIVITY

Designed to deliver smooth, reliable power for maximum straw shredding and discharge, FINN Straw Blowers make quick work of straw mulching even in the most demanding conditions. Spread straw mulch over huge areas of seeded soil with dramatically less labor and extraordinary time savings compared to traditional hand shaking. Its uniform coverage also gives the finished product a professional appearance.


## SUPERIOR COVERAGE

FINN Straw Blowers are technologically advanced to handle jobs ranging from small lawns to huge mining sites. We know that highway construction areas, agricultural fields, and large commercial sites demand machines that are up to a wide variety of tasks. Available in self-contained skid or trailer mounts, all FINN Straw Blowers are portable and self-powered.

**B40** This model shreds and blows 2-3 bales of straw in less than a minute and is ideal for smaller areas like residential gardens and lawns, repair areas, and cemeteries.

**B70** This model shreds and blows 7 tons of materials per hour over distances up to 60 feet and has a convenient discharge spout that is equipped with a tension device for easy, one-hand operator control.

**B260** The high-capacity B260 can process up to 20 tons per hour, and the high-torque John Deere engine allows the B260 to blow straw mulch 100 feet through its advanced design discharge chute. The B260 is the choice for mine reclamation, highway construction, and large commercial sites.



## FINN KRIMPER ATTACHMENT

The FINN Krimper Attachment is the ideal partner to any seeding project that requires the use of straw or hay to protect the seed and help it grow by retaining moisture. FINN Krimpers anchor the straw into the soil to avoid loss of material or coverage, and help ensure the reduction of erosion and runoff while the seed is germinating.

## DESIGNED FOR SUCCESS

### » DYNAMIC, BALANCED DISCHARGE CHUTE

Allows for easy one-handed control and reduces operator fatigue.

### » INDEPENDENT CLUTCH CONTROL

A variety of mechanical, electrical and hydraulic clutch designs enable independent control of the blower and engine with an efficient power transmission which allows for easy and smooth operation.

### » FLAIL CHAIN SYSTEM

Effectively separates the straw instead of cutting it, allowing for a uniform strand length that provides a stable straw matrix to protect seed.

### » HYDRAULICALLY DRIVEN POWER FEED

Available on the B260, the power feed conveyor dramatically increases production capacity while significantly reducing labor requirements.

### » EXTENSION HOSE & ADAPTER

Optional 50 foot extension hose reaches difficult areas with more controlled discharge.

SMARTER WAYS TO WORK™



## Your Environmental Solution

### FINN Equipment Answers Your EPA Questions

With FINN, you are assured that we strictly follow U.S. Environmental Protection Agency (EPA) regulations and guidelines for our machines.

All FINN machines between 19kW (25.5hp) and 56kW (75hp) have been upgraded to the EPA's required Tier 4 Final/ Euro Stage III A/B diesel engine emissions standards. FINN Tier 4 Final machines currently meet LEED (Leadership in Energy & Environmental Design) compliance for bid jobs in California, Canada, and countries of the European Union - and this list will continue to grow. Even if a project is not going to be LEED certified, the Tier 4 Final models now meet strict environmental requirements by reducing exhaust emissions by more than 90 percent - and the FINN engineering team made sure that performance and quality was not compromised. Machines outside this horsepower range are being upgraded as regulations require, ensuring that FINN equipment will comply with your environmental responsibilities and commitments now and in the future.

## Your Erosion Control Equipment Solution

We recognize that federal, state, and local government agencies are having a direct impact on how many customers conduct business. At the federal level, rigorous and approved erosion control measures must be incorporated into the planning and approval process if an acre or more of ground is disturbed for construction of any kind, including roads, building, and housing. State and local regulations may be even more demanding.



However, as concerned environmental stewards, we understand and welcome these regulations as they work to save our waters and soils. FINN equipment gives you the ability to meet many different Best Management Practices (BMP's), satisfying both regulatory requirements and recognizing the value of preserving our environment.

**FINN HydroSeeders** are used for temporary and permanent erosion control measures. The spray on application using project specified materials (hydromulches, seed) for hydroseeding small to large sites, including mine and oilfield reclamation, pipelines, forest fire recovery, roadside construction, and land restoration, provides a customary BMP with proven results.

**FINN Bark & Mulch Blowers** can be used for the application of

erosion control blankets (mulch/compost) and sediment control filter sock. With product blown in place, these applications are more efficient and effective than many other BMP's, including silt fence

**FINN Straw Blowers** are commonly used for the protection of seed and soil for temporary erosion control. With an incredibly fast application rate and as a known BMP, straw blowing is just one more option in your erosion control tool belt.



## Equipment Tailored to Your Needs

We have a reputation for designing and building a wide variety of purpose built machines, whether it is track-mounted HydroSeeders and Bark & Mulch Blowers for off-road applications, specialized landfill HydroSeeders for alternative daily cover and odor control, or unique equipment for the Department of Defense. Look to FINN if you have a specialized application or an unusual equipment specification requirement. Chances are we have done it before, and we can do it again.

**SMARTER WAYS TO WORK™**

# Equipment Models



## HydroSeeder®

MODEL	LIQUID CAPACITY	WORKING CAPACITY	HORSEPOWER	ENGINE	DISCHARGE DISTANCE	LOADS PER ACRE*	EMPTY WEIGHT	WORKING WEIGHT†	OPTIONS
<b>T30</b>	335 gal. (1,268 L)	281 gal. (1,063 L)	19 hp (14.2 kw)	Kohler CH620, Electric Start	70 ft. (23 m)	10.68	1,480 lbs. (671 kg)	4,560 lbs. (2,068 kg)	Airflush
<b>T60S</b>	600 gal. (2,270 L)	500 gal. (1,890 L)	23.5 hp (17.5 kw)	Kohler CH730, Air Cooled Gas	90 ft. (27 m)	6	2,170 lbs. (985 kg)	7,170 lbs. (3,253 kg)	Hose Reel, Airflush, Tower/Guard Rail, Remote Control, Surge Brakes
<b>T60T</b>	600 gal. (2,270 L)	500 gal. (1,890 L)	23.5 hp (17.5 kw)	Kohler CH730, Air Cooled Gas	90 ft. (27 m)	6	2,770 lbs. (1,257 kg)	7,770 lbs. (3,525 kg)	Hose Reel, Tower/Guard Rail, Remote Control, Surge Brakes
<b>T75T</b>	820 gal. (3,100 L)	700 gal. (2,650 L)	23.5 hp (17.5 kw)	Kohler CH730, Air Cooled Gas	150 feet (45 m)	4.29	3,250 lbs. (1,477 kg)	9,990 lbs. (4,541 kg)	Airflush, Surge Brakes, Remote Control, Spare Tire
<b>T90S</b>	940 gal. (3,558 L)	800 gal. (3,028 L)	35.1 hp (26.2kw)	Yanmar 3TNV88C-DYEM, Tier 4Final	180 feet (55 m)	3.75	4,150 lbs. (1,882 kg)	13,455 lbs. (6,103 kg)	Stainless Steel Pkg, Hose Reel Pkg, Railing, Ground Level Controls, Skid Plate
<b>T90T</b>	940 gal. (3,558 L)	800 gal. (3,028 L)	35.1 hp (26.2kw)	Yanmar 3TNV88C-DYEM, Tier 4Final	180 feet (55 m)	3.75	5,810 lbs. (2,635 kg)	15,115 lbs. (6,856 kg)	Stainless Steel Pkg, Hose Reel Pkg, Airflush, Railing, Ground Level Controls, Skid Plate
<b>T120S</b>	1,180 gal. (4,468 L)	1,000 gal. (3,785 L)	35.1 hp (26.2kw)	Yanmar 3TNV88C-DYEM, Tier 4Final	180 feet (55 m)	3	4,580 lbs. (2,077 kg)	16,300 lbs. (7,394 kg)	Stainless Steel Pkg, Hose Reel Pkg, Railing, Ground Level Controls, Skid Plate
<b>T120T</b>	1,180 gal. (4,468 L)	1,000 gal. (3,785 L)	35.1 hp (26.2kw)	Yanmar 3TNV88C-DYEM, Tier 4Final	180 feet (55 m)	3	6,170 lbs. (2,799 kg)	17,900 lbs. (8,119 kg)	Stainless Steel Pkg, Hose Reel Pkg, Airflush, Railing, Ground Level Controls, Skid Plate
<b>T120GN</b>	1,180 gal. (4,468 L)	1,000 gal. (3,785 L)	35.1 hp (26.2kw)	Yanmar 3TNV88C-DYEM, Tier 4Final	180 feet (55 m)	3	7,010 lbs. (3,180 kg)	18,730 lbs. (8,496 kg)	Stainless Steel Pkg, Hose Reel Pkg, Airflush, Railing, Ground Level Controls, Skid Plate
<b>LF120</b> (Landfill Solution)	1,180 gal. (4,468 L)	1,000 gal. (3,785 L)	35.1 hp (26.2kw)	Yanmar 3TNV88C-DYEM, Tier 4Final	180 feet (55 m)	3	6,660 lbs. (3,021 kg)	18,377 lbs. (8,336 kg)	Hose Reel Pkg, Airflush, Foam Fill Service, Hitch Extension
<b>T170</b>	1,750 gal. (6,625 L)	1,500 gal. (5,678 L)	65hp (48 kW)	Cummins QSF 2.8 Diesel Tier 4Final	200 ft. (61 m)	2	6,770 lbs. (3,071 kg)	24,300 lbs. (11,022 kg)	Stainless Steel Pkg, Hose Reel Pkg, Ground Level Controls, Airflush
<b>T170 SUPER</b>	1,750 gal. (6,625 L)	1,500 gal. (5,678 L)	125 hp Turbo	John Deere Tier III Diesel 4045T	230 ft. (70 m)	2	6,500 lbs. (2,950 kg)	23,900 lbs. (10,840 kg)	Stainless Steel Pkg, Hose Reel Pkg, Remote Control, Ground Level Controls, Airflush
<b>T330</b>	3,350 gal. (12,681 L)	3,000 gal. (11,356 L)	125 hp Turbo	John Deere Tier III Diesel 4045T	230 ft. (70 m)	1	9,600 lbs. (4,354 kg)	42,000 lbs. (19,051 kg)	Stainless Steel Pkg, Hose Reel Pkg, Remote Control, Air Flush, Front Flusher Pkg, Water Bar, Truck Mount Kit
<b>TITAN 330</b>	3,350 gal. (12,681 L)	3,000 gal. (11,356 L)	170 hp Turbo Diesel	Cummins QSB (4.5 L) Tier III	320 ft. (97.5 m)	1	12,340 lbs. (5,600 kg)	44,750 lbs. (20,300 kg)	Stainless Steel Pkg, Hose Reel Pkg, Second Discharge Boom, Remote Control, Air Flush, Third Agitator, Spray Bar
<b>TITAN 400**</b>	3,975 gal. (15,047 L)	3,600 gal. (13,627 L)	170 hp Turbo Diesel	Cummins QSB (4.5 L) Tier III	320 ft. (97.5 m)	1.2	13,180 lbs. (5,978 kg)	46,750 lbs. (21,200 kg)	Stainless Steel Pkg, Hose Reel Pkg, Second Discharge Boom, Remote Control, Air Flush, Third Agitator, Spray Bar

S=Skid; T=Trailer; GN=Gooseneck  
 \*\*Ask about the Titan Tier 4 final configuration

\*Based on 1500 lbs of mulch/acre      †Working weights are approximate and do not include options or stored materials.

## Straw Blowers

MODEL	RATE PER HOUR	HORSEPOWER	ENGINE	RANGE	WEIGHT
<b>B40S</b>	4 tons	20.5 hp (15.3 kw)	Kohler CH640, Electric Start	45 ft (13.7 m)	565 lbs. (256 kg)
<b>B40T</b>	4 tons	20.5 hp (15.3 kw)	Kohler CH640, Electric Start	45 ft (13.7 m)	1,165 lbs. (528 kg)
<b>B70RH</b>	7 tons	35.1 hp (26.2kw)	Yanmar 3TNV88C-DYEM, Tier 4Final	60 ft. (18 m)	1,700 lbs. (771 kg)
<b>B70T</b>	7 tons	35.1 hp (26.2kw)	Yanmar 3TNV88C-DYEM, Tier 4Final	60 ft. (18 m)	2,360 lbs. (1070 kg)
<b>B260T</b>	20 tons	125 hp Turbo	John Deere Tier III Diesel 4045T	100 ft. (30 m)	4,800 lbs. (2,177 kg)

KRIMPER ATTACHMENT Anchors the straw into the soil to avoid loss of material coverage. See your FINN Sales Rep. for more information.

S=Skid; T=Trailer

## Bark & Mulch Blowers

MODEL	LOAD CAPACITY	HORSEPOWER	ENGINE	BLOWER RATE	EMPTY WEIGHT§	WORKING WEIGHT***	MINIMUM TRUCK REQUIREMENT
<b>BB302</b>	1.5 cu.yd (1.2m3)	35.1 hp (26.2kw)	Yanmar 3TNV88C-DYEM Tier 4Final	500 cfm @ 10 psi	4,700 lbs. (2,132 kg)	5,825 lbs. (2,642 kg)	
<b>BB 5-SERIES</b>	5 cu. yd (3.8m3)	65 hp (48 kW)	Cummins QSF 2.8 Diesel Tier 4Final	725cfm @ 12 psi	8,835 lbs. (4,007 kg)	12,585 lbs. (5,708 kg)	
<b>BB1208‡</b>	8.2 cu. yd. (6.3m3)	125 hp (93.1 kw)	John Deere 4045D, Diesel	1,200cfm @ 15 psi	10,640 lbs. (4,826 kg)	16,640 lbs. (7,548 kg)	25,900 lbs. (11,750 kg) GVW
<b>BB1216‡</b>	15.7 cu. yd. (12.0m3)	125 hp (93.1 kw)	John Deere 4045D, Diesel	1,200cfm @ 15 psi	12,720 lbs. (5,770 kg)	24,495 lbs. (11,111 kg)	34,000 lbs. (15,442 kg) GVW
<b>BB1222‡</b>	21.8 cu. yd. (16.7m3)	125 hp (93.1 kw)	John Deere 4045D, Diesel	1,200cfm @ 15 psi	13,700 lbs. (6,246 kg)	30,000 lbs. (13,608 kg)	42,000 lbs. (19,051 kg) GVW

S=Skid; T=Trailer  
 ‡ Optional chain flood and seed injection available

§ Includes hose reel      \*\*\*Working weights are approximate and do not include options or stored materials.