

Compact Tractors CT1025 | CT2035 | CT2040



One Tough Animal.

LIKE YOU, BOBCAT MAS BORN FOR THS.

YOU MIGHT KNOW Bobcat Company from its iconic compact loaders and excavators: those tough, white-and-orange machines you see on countless construction sites and landscaping projects. But our first machine was literally born in a barn.

Designed for a turkey farmer, the original compact loader was destined to clean small livestock pens and stalls. Ever since, Bobcat[®] equipment has been a mainstay on ranches, dairies and all kinds of fruit, grain and vegetable operations.

The rural lifestyle is a piece of your identity. It's home. It's you. Bobcat shares your roots, and we're coming back to them in a big way – with a tough new lineup of compact tractors. They have everything you need to turn the dreams for your land into reality.

We love a good homecoming. So try a Bobcat compact tractor on your property. It's all Bobcat. **And it's all you**.



PERFORMANCE

The more you do with your tractor, the more ideas you have for your property. Bobcat compact tractors prepare you for every possibility.



THESE AGILE MACHINES ARE STRONG

enough to work inside and around sheds, barns, animal enclosures and anywhere else the work takes you. With models up to 40 hp, your choice of hydrostatic transmission, plus generous lifting ability, ground clearance and a powerful 3-point hitch with power take-off (PTO), Bobcat brings outstanding performance and value to your property. From its wheelbase to its length, tire options and overall engineering, your Bobcat compact tractor is powerful and capable while being responsive and comfortable to operate. With top travel speeds as high 23.9km/h (depending on model), you'll spend less time moving from one point to another, and you'll make every second count when you have work to get done. And because a hard-working tractor needs hard-working traction, you can easily engage fourwheel drive whenever the work demands it.



Tight Turning Radius

Maximum maneuverability is the key to effective mowing, tilling and more. Bobcat compact tractors feature a tight turning radius – as little as 8 feet (2.4m) – so you can move in close to trees, buildings and other obstacles.

Steering Brakes


Steering brakes are especially useful when you're working between buildings, in pens or barns, or around trees. They assist in maintaining a tight turning radius, nearly pivoting the tractor on the inside wheel.

High Ground Clearance

A high minimum ground clearance enables you to keep working in uneven terrain or in wet, muddy conditions.

Hydrostatic Transmission

The hydrostatic transmission uses hydraulic pressure to change speed, operating similar to a vehicle. You'll only need to stop moving if you want to change your range. This is a good transmission choice if you're doing frequent front-end loader work, mowing or clearing brush as you maneuver through wooded areas. Its ease of operation also makes it a good choice for novice drivers. Forward and reverse are controlled by foot pedals.



Tire Options

Three types of tires are available for Bobcat compact tractors. They offer a combination of reliability and ride quality to match the requirements of your work.

Industrial Tires(Standard)

Industrial tire tread is wider than agricultural tires, and the lugs are deeper than turf tires. They deliver great traction for all ground conditions and many different applications.

Turf Tires (CT1025)

Turf tires are designed with less aggressive tread that minimizes disturbance on lush lawns and established landscaping.

Agricultural Tires (CT2035, CT2040)

These tough tires have deep lugs for optimal traction and self-cleaning in soft soil and mud. They also deliver more power to the ground when towing heavy loads or pulling implements.

Leading Drawbar Towing

Bobcat compact tractors deliver leading drawbar towing power and force for heavy towing performance that beats many other tractor brands.

Adjustable Hitch

The hitch is adjustable to provide towing flexibility and convenience.

UPTIME

PROTECT YOUR INVESTMENT.

From rugged metal hoods to the solid and sturdy construction of our 3-point hitches to our unmatched dealer support, your Bobcat tractor can stand up to a challenge.

Metal Hood

The metal hood, designed to provide great visibility from the operator station, stands up to tough jobs, reliably protecting the engine and components from dirt and debris.

Polymer Fuel Tank

A heavy-duty polymer fuel tank maintains fuel integrity and e liminates rust-related contamination.

Front Guard

Included with the optional front-end loader, the heavy-duty brush guard protects your tractor's front end from debris, branches and other obstacles.

24-Month, 1,500-Hour Warranty

Bobcat Company stands behind your tractor. Our standard warranty provides 24 months of coverage from defects in material and workmanship or 1,500 hours of usage (whichever occurs first). Your chores demand daily attention. Your tractor needs to be ready to work when you are. Bobcat compact tractors are built to contend with the dust, dirt and grit of your toughest challenges, and they're designed with ease of maintenance in mind.

THE BOBCAT DEALER NETWORK ADVANTAGE

Bobcat built its brand on quality equipment serviced by reliable local dealers, with warranty repairs and parts availability that are second to none. With the help of our knowledgeable dealers, Bobcat customers have kept machines running for decades doing the toughest jobs imaginable. If you're looking for long-term service and support, take a look at Bobcat compact tractors.

Minimize your maintenance.

You bring a tractor home to do work. It shouldn't be a job to keep it running. Maintenance points on your tractor are easy to find and reach – so upkeep is simple and takes less time. Flip up the metal hood – it opens nearly 90 degrees – to easily access the battery, filters and other checkpoints. Other components are simple to reach and service, allowing you to easily retain peak performance for years.

One-Side Maintenance

All daily checks, engine fluid fills and filters are located on one side of the engine, which makes it easy to keep your tractor running smoothly with minimal effort.

One-Piece Engine Hood with Air Cylinder Assist

There are no side panels to remove when you need to access your engine. It's as simple as lifting the hood. With the air cylinder assist, it takes little effort. When fully opened, the tractor's hood stands nearly perpendicular to the engine compartment. This provides bestin-class maintenance accessibility and makes virtually all of the major service points easy to reach.



COMFORT

ENJOY YOUR WORK.

When you have hours of mowing and acres of upkeep ahead of you, a comfortable tractor is a must. Bobcat sub-compact tractors offer outstanding features that make tough jobs comfortable and enjoyable. Intuitive controls that fit you naturally. A comfortable ride. A quiet engine that helps you focus on the job. When the projects pile up, you won't mind spending extra time on this tractor.

Intuitive Control Levers (CT1025)

Great controls make it easier and more enjoyable to do more with your sub-compact tractor. You can match torque to the task with the HST range lever, moving effortlessly between high and low ranges. You can also adjust mid-mount mower cutting height via a simple lever control. Rear and mid-PTO levers enable you to engage or disengage the PTOs separately or together.

Single Front-End Loader Joystick (CT2035, CT2040)

Control all loader functions with a single lever. When released, the lever automatically returns to neutral position and the loader stops in place.





Comfortable Operator Station with Ergonomic Controls

The operator station on Bobcat sub-compact tractors is designed to enable hours of comfortable, confident work. All of your controls, gauges and buttons on Bobcat sub-compact tractors are thoughtfully laid out with your ease of use in mind. The illuminated dashboard allows you to operate and easily monitor performance in all light conditions.

Cab-Integrated Joystick Lever

The joystick lever is within easy reach for simple loader work, but it's also strategically positioned to maintain high visibility. The molded grip feels comfortable in your hand and makes the front-end loader respond intuitively to your command.



Low Noise, Low Vibration

The engine in your Bobcat sub-compact tractor is designed to produce low noise levels with minimal vibration to keep you working comfortably and focused on the task.

Headlights

Bright headlights illuminate the job for high visibility for evening work and other low light conditions.

LED Tail Lamp

The LED tail lamp provides excellent visibility and long bulb life.

Panoramic Visibility

The open cab provides excellent sightlines to the work and great all-around visibility, with the additional simplicity and ease of use for operators who frequently get on or off the tractor throughout the day.

Power Steering

Power steering adds near-effortless maneuverability and automotive-style comfort to your tractor's operation.

Foldable Rollover Protective Structure (ROPS)


The ROPS is designed to protect the operator in the event of a rollover (when the ROPS is locked in the up position and the seatbelt is fastened). The foldable ROPS can be temporarily lowered when driving under trees, into garages or in other low-clearance areas.

VERSATILITY

DO MORE

Throughout the day, you can go from mowing to grading to digging. Your property presents endless opportunities to get outside and get something done. From front to back, Bobcat tractors are well equipped to keep up with your to-do list.





Front-End Loader with Euro Hitch Quick Attach (CT2035, CT2040 Only) - Front-End Loader included Self-leveling and 4 in 1 Bucket

The front-end loader is a must-have for digging, dirt moving, loading and carrying material. On your Bobcat tractor, the frontend loader is easy to attach and remove, plus it delivers leading lift capacity and height for exceptional productivity.

Its quick attach mounting system enables you to use a variety of attachments, such as a grapple, pallet fork, combination bucket or angle blade. With just a quick change, you can gear up for more tasks and bring more value and versatility to your property. Frontend loaders are equipped with float functionality to follow ground contours as you work.

External 3-Point Control Lever

You can easily raise and lower the 3-point hitch lift arms using the height control lever, located behind the machine.

Rear PTO and 3-Point Hitch

The 3-point hitch is a key to your tractor's versatility. It enables you to do a large number of tasks on your property with both drag-behind and PTO-powered implements.

Mid PTO (CT1025 STD, CT2035/CT2040 Option)

Enjoy superior maneuverability for mowing around trees, buildings and other obstacles with a 2,000-rpm mid-PTO and mid-mount mower. With a mid-PTO, you have the option of combining three tools on one machine – one in back, one in front and your mid-mount mower.

Take on digging, loading and material handling with a strong, easy-to-use front-end loader. Handle mowing with the help of the optional mid-mount PTO. Finally, use an array of implements with your 3-point hitch and rear PTO. Your dealer can help you acquire a range of Bobcat implements for the work you do on your land.

Turnbuckle Lift Rod Adjustment


Get perfect positioning for implement hookup with the turnbucklestyle lift rod adjustment. It turns easily, raising and lowering the links to make changes simple.

Bent Lower Lift Arms

The lower lift arms provide a forgiving angled design that makes implement hookup quick and easy.

Flip-Up PTO Guard

The flip-up PTO guard ensures easy attachment installation while providing operator protection during use.



VERSATILITY

ATTACHMENT

YOUR COMPACT TRACTOR

packs a lot of versatility for the price, and hard-working Bobcat attachments are made to handle the numerous possibilities you uncover on your land.



Front-End Loader with 4 in 1 Bucket

The front-end loader is a must-have for digging, dirt moving, loading and carrying material. The Bobcat front-end loader is easy to attach and remove, plus it delivers leading lift capacity and height for exceptional productivity.

| Front-End Loader (4in1 bucket) | FL6-OC | FL8-0C |
|--|---------------------|---------------------|
| Max. Lift Height to Pivot Pin | 1655 mm | 2451 mm |
| Max. Lift Height under Level Bucket | 1611 mm | 2284 mm |
| Clearance with Bucket Dumped | 1241 mm | 1830 mm |
| Reach at Maximum Lift Height | 378 mm | 556 mm |
| Maximum Dump Angle | 58° | 54° |
| Reach with Bucket on Ground | 1319 mm | 1600 mm |
| Maximum Rollback Angle | 24° | 41° |
| Digging Depth | 108 mm | 111 mm |
| Lift Capacity at Pivot Pin (max. height) | 265 kg | 654 kg |
| Rollback force at 500 mm (at Ground level) | 220 kg | 954 kg |
| Weight (with Bucket) | 358 kg | 490 kg |
| Bucket capacity(Heaped Capacity) | 0.17 m ³ | 0.19 m ³ |
| Bucket Widths | 1220 mm | 1524 mm |



Mid-Mount Mowe

Perfect for a variety of applications, the mid-mount mower cuts grass in areas where maneuverability is tight. Both models include standard side discharge and solid rubber wheels. Features a blade travel speed of 78.2 meters per second smoothly, without skips.

| Mid-Mount Mower | M60 | | |
|-------------------------------|---------------------|--|--|
| Cutting Width | 1524 mm | | |
| Cutting Height | 25-102 mm | | |
| Transport Height | 153 mm | | |
| Gear Type | Spiral Bevel | | |
| Number of Blades | 3 | | |
| Blade Spindle Speed | 2888 rpm | | |
| Blade Tip Velocity | 78.2 m/s | | |
| Blade Length | 518 mm | | |
| Deck Thickness | 3.3 mm | | |
| Total Width | 1992 mm | | |
| Total Length | 1082 mm | | |
| Total Height | 348 mm | | |
| Weight (60" deck w/ mounting) | 170 kg | | |
| Drive Type | U-Joint and V-Belt | | |
| Lifting Type | 3 Point Hitch Links | | |
| Compatible with Loader | Yes | | |
| Drive Over Deck | Yes | | |



Backhoe

Turn your Bobcat compact tractor into a powerful part-time excavator with this handy attachment. With three different models ranging from 6.5 to 8 feet of dig depth, the backhoe is great for general purpose digging and trenching. Sub frame included.

| Backhoe | BH66-OC | BH76 |
|---------------------------------------|--------------------|------------------|
| Digging Depth (2' flat bottom) | 1981 mm | 2286 mm |
| Reach from Center Line of Swing Pivot | 2540 mm | 3099 mm |
| Loading Height (bucket at 60°) | 1397 mm | 1880 mm |
| Maximum Leveling Angle | 8° | 8° |
| Swing Arc | 180° | 180° |
| Transport Height (maximum) | 1626 mm | 2121 mm |
| Bucket Rotation | 152° | 180° |
| Stabilizer Spread (down position) | 1994 mm | 1994 mm |
| Stabilizer Spread (up position) | 1537 mm | 1626 mm |
| Bucket Digging Force | 1016 kgf | 1395 kgf |
| Operating Pressure | 1885 psi (130 bar) | 2466 psi (170 ba |
| Shipping Weight (without bucket) | 298 kg | 399 kg |
| | | |



ar)



DEALER INSTALLED KITS AND **OPTIONS**

You can customize and accessorize your Bobcat compact tractor to improve productivity, enhance durability, maximize operator comfort and more. Simply choose options and accessories* that match your unique demands.

| MODEL | OPTION LIST |
|------------------|-----------------------|
| CT1025 | Rear Hydraulic Valve |
| | Front Hydraulic Valve |
| | Rear Working Lights |
| | Front Weight |
| | Cruise Control Kit |
| | Swivel Seat Kit |
| | Sun Canopy |
| CT2035 CT2040 | Rear Working Lights |
| | Front Weight |
| | Sun Canopy |
| | MID PTO Kit |
| | 7 Pin Socket Kit |
| | Rear Weight |
| | Clevis Type Drawbar |
| | Tool Box Kit |
| | Rear View Mirror Kit |

* Options and accessories are subject to change.

SPECIFICATIONS







| Model | CT1025 | CT2035 | CT2040 |
|---|-----------------------------------|-----------------------------------|-----------------------------------|
| Engine | Diesel | Diesel | Diesel |
| Gross Horsepower | 26 hp | 35 hp | 38 hp |
| No. of Cylinders | 3 | 3 | 3 |
| Total Displacement | 1131 cc | 1826 cc | 1826 cc |
| Fuel Tank Capacity | 25.5 L | 34 L | 34 L |
| 3-Point, PTO & Hydraulics | | | |
| PTO Horsepower | 20.5 hp | 31 hp | 32.1 hp |
| 3-Point Hitch | Category 1 | Category 1 | Category 1 |
| Lift Control Type | Hydraulic Position Control System | Hydraulic Position Control System | Hydraulic Position Control System |
| Hydraulic Lift Capacity at 24 in. Beyond Lift Point | 318 kg.f | 740 kg.f | 740 kg.f |
| Rear PTO | 540 rpm | 540 rpm | 540 rpm |
| Rear PTO System | Independent | Live | Live |
| Mid-PTO | Standard: 2200 rpm | Optional: 2000 rpm | Optional: 2000 rpm |
| Total Hydraulic Pump Capacity | 24.6 L/min | 44.4 L/min | 44.4 L/min |
| Rear Hydraulics | Opt (2) | Std (4) | Std (4) |
| Lower Links | Ball | Ball | Ball |
| Lifting Rod | Turn-buckle | Turn-buckle | Turn-buckle |
| Drive System | | | |
| Transmission | HST | HST | HST |
| Speed Ranges | 2 Range | 3 Range | 3 Range |
| Brakes | Wet Disc Type | Wet Disc Type | Wet Disc Type |
| Rear Differential Lock | Rear Standard | Rear Standard | Rear Standard |
| Four-Wheel Drive | STD-Mechanical | STD-Mechanical | STD-Mechanical |
| Travel Speeds (w/ Ind. Tires) | | | |
| Forward | 0 - 16.6 km/h | 0 - 23.9 km/h | 0 - 23.9 km/h |
| Reverse | 0 - 11.2 km/h | 0 - 21.5 km/h | 0 - 21.5 km/h |
| Dimensions | | | |
| Overall Length (with 3 pt.) | 2523 mm | 3070 mm | 3070 mm |
| Overall Width (with industrial tires) | 1168mm | 1595 mm | 1595 mm |
| Overall Height (with ROPS) | 2226 mm | 2650 mm | 2650 mm |
| Wheelbase | 1400 mm | 1670 mm | 1670 mm |
| Ground Clearance | 162 mm | 340 mm | 340 mm |
| Weight | 675 kg | 1240 kg | 1240 kg |
| Steering | Hydrostatic Power Steering | Hydrostatic Power Steering | Hydrostatic Power Steering |
| Inside Turning Radius | 2540 mm | 2450 mm | 2450 mm |
| Safety Equipment | | | |
| Safety Interlock System (neutral start-operating) | Std | Std | Std |
| Fold Down ROPS (roll-over protective structure) | Std | Std | Std |
| Fully Retractable Seatbelt | Std | Std | Std |
| Features | 010 | ota | otu |
| Suspension Seat | N/A | C+4 | 6+4 |
| • | N/A | Std | Std |
| Adjustable Seat | Std | Std | Std |
| Cup Holder | Std | Std | Std |
| Glow Plug Engine Pre-heat | Std | Std | Std |
| Toolbox | Std | Opt | Opt |
| Head Lights/Tail Lights | Std | Std | Std |
| Cruise Control | Opt | Std | Std |
| Horn/Hazard Flasher/Turn Signals | Std | Std | Std |
| Rear Working Lights | Opt | Opt | Opt |
| Side Mirror | Opt | Opt | Opt |

*Note: Hydraulic 3 pt. lift capacity will vary depending on lift point height.



PIONEERING MANEUVERABILITY

Bobcat introduced its first compact loader in 1958, and two years later, the world's first skid-steer loader. This created an entire industry of machines that put the power of large equipment in a compact size with unmatched maneuverability.

OFFERING MORE VERSATILITY

In 1970, Bobcat invented the first quick-change attachment system for skid-steer loaders, known as the Bob-Tach® mounting system. Today we offer more compact equipment attachments than anyone in the world, empowering customers to transform all of our machines into multi-tasking attachment carriers and reach higher levels of production.

ONE TOUGH ANIMAL®

All over the world, Bobcat equipment is known for being durable and dependable. By lasting longer and minimizing downtime, we help our customers become as successful as possible.

HELP WHEN YOU NEED IT

With over 50 years of experience and more than 150 locations, we offer the best dealer network in the ALAO region for compact equipment. Our dealers offer a quality sales force, dependable parts departments and qualified service technicians, all leading to a quality customer experience.



A CONSTANT INNOVATOR

In the late 1950s, a turkey farmer needed help – so in 1958, we introduced what was to become the world's first skid-steer loader. We created an industry by listening to the needs of the customer. This focus is the same today. In 2000, a superintendent needed help - so we built the world's first Toolcat utility work machine. We continue to be a global leader in innovation by listening to our customers.

BOBCAT TIMELINE





2008

LEADER BY DESIGN


Listening to the customer and a pioneering spirit are why Bobcat continues to lead the evolution of compact equipment ...

| 1960 | Invented the FIRST true skid-steer loader. |
|-------|---|
| 1970 | Invented the FIRST attachment mounting system for skid-steer loaders. |
| 1977 | Built the FIRST skid-steer loader with no chain adjustments required. Still a Bobcat exclusive. |
| 1981 | Introduced the FIRST secondary restraint seat bar. |
| 1983 | Developed the FIRST skid-steer loader with a transversely mounted engine. Still a Bobcat exclusive. |
| 1990 | Introduced the FIRST compact excavator manufactured in the U.S. |
| 1999 | Introduced the FIRST compact track loader with a solid-mounted undercarriage manufactured in the U.S. |
| 2001 | Invented the FIRST loader with all-wheel steer and skid-steer capabilities. Still a Bobcat exclusive. |
| 2003 | Revolutionized the way the world works with the invention of the Toolcat [™] utility work machine line, the world's FIRST utility work machines – a cross between a pickup, attachment carrier and utility vehicle. Still a Bobcat exclusive. |
| 2006 | Introduced the FIRST utility vehicle with RapidLink [™] attachment mounting system. |
| 2008 | Introduced Roller Suspension [™] , the FIRST all-steel suspension system. |
| 2009 | Launched M-Series compact excavators and loaders. |
| 2011 | The M-Series loader models S850 and T870 became the largest and most powerful in the Bobcat product lineup. |
| 2012 | Bobcat introduced two new sizes of extendable-arm excavator options that are both attachment and clamp-ready. |
| 2013 | The M-Series 500 frame-size loaders replaced the popular S185 and T190 (among many others). This loader size is the most popular in the world and has been for two decades. |
| 2014 | Bobcat launched the 400 frame-size loaders, completing the M-Series line; manufactured its one-millionth loader; introduced its own Tier 4, non-DPF engines; and opened the Bobcat Acceleration Center, a dedicated innovation, testing and technology facility. |
| 2016 | Launched the M2-Series loaders. |
| 2017 | Launched the R-Series excavators. |
| Today | There are more Bobcat skid-steer loaders at work around the world than all other brands combined. |
| Today | Bobcat manufactures more attachments than anyone in the world. |
| Today | Bobcat is the only company that offers operator training kits for compact equipment. |
| Today | Bobcat offers a full range of extendable-arm options, three sizes fitting five different excavator models. |
| Today | Compact track loaders are rapidly becoming the product of choice in many market segments. |
| Today | Launch of the compact tractor. |



VOU ARE ONE TOUCH ANNAL.

Everything we put into Bobcat equipment is designed to make more of whatever you bring to the job. Whether it's strength, versatility, speed or agility, it's built around you.



Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.



Bobcat is a Doosan company. Doosan is a global leader in construction equipment, power and water solutions, engines, and engineering, proudly serving customers and communities for more than a century. Bobcat®, the Bobcat logo and the colors of the Bobcat machine are registered trademarks of Bobcat Company in the United States and various other countries. ©2019 Bobcat Company. All rights reserved.



Doosan Bobcat Korea Co., Ltd.

www.bobcat.com